

Properly Choose Your Steam Unit in 4 Easy Steps!

1. SIZE THE HOME AND INCLUDE BASEMENT

Example: 4000 square foot home
 Add 1500 square foot basement
 5500 total
 x 9 foot ceiling
 49500 total
 x .00020 this is the figure given to reach 40%
 Relative Humidity
 9.9 lbs of steam per hour
 x 2.88
 28.51 Gallons per day

2. TEST THE WATER

Example:
 500 ms/cm and below,
 you need a Low Conductivity Steam Unit

500 ms/cm and above,
 you need a Regular Steam Unit

* SEE INSTALLATION MANUAL ON PROPER TESTING PROCEDURES



3. CHOOSE YOUR STEAM UNIT

REGULAR WATER

DS15P – 15 GALLONS PER DAY OR 5.5 POUNDS OF STEAM PER HOUR

DS25P – 25-35 GALLONS PER DAY OR 9-12 POUNDS OF STEAM PER HOUR

DS50P – 50 GALLONS PER DAY OR 20 POUNDS OF STEAM PER HOUR

LOW-CONDUCTIVITY WATER

DS25P LC – 25-35 GALLONS PER DAY OR 9-12 POUNDS OF STEAM PER HOUR

DS50P LC – 50 GALLONS PER DAY OR 20 POUNDS OF STEAM PER HOUR

* 25 DS/RS MODELS COME FACTORY SET AT 70% PRODUCTION OUTPUT.

4. CHOOSE INSTALLATION KIT

- A. Duct Mount Kit
- B. Remote Blower Kit




New Elite Steam Humidifiers

A. Duct Mount Kit



B. Remote Blower Kit



Local: 1-416-757-3691 Toll Free: 1-888-216-9184